Printing date 11.07.2012 Version number 14 Revision: 11.07.2012

1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name: Eleco G 641

- · Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the preparation

Fat liquor

Adhesives

- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

ELECO PRODUITS - EFD

125 Avenue Louis Roche F-92230 GENNEVILLIERS FRANCE

Tel: +33 1 47 92 41 80

- · Informing department: Product safety department:eleco@eleco-produits.fr
- · Emergency telephone number: During regular office hours +33 1 47 92 41 80

all other times call your local Poison Control Center.

2 Hazards identification

- · Classification of the substance or mixture
- · Classification according to Directive 67/548/EEC or Directive 1999/45/EC



N; Dangerous for the environment

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies.

- · Label elements
- · Labelling according to EU guidelines:

The product has been classified and labelled in accordance with EC Directives / Ordinance on Hazardous Materials (GefStoffV)

· Code letter and hazard designation of product:

N Dangerous for the environment

· Risk phrases:

50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

- · Safety phrases:
- 29 Do not empty into drains.
- 57 Use appropriate container to avoid environmental contamination.
- 60 This material and its container must be disposed of as hazardous waste.
- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with harmless additions.

(Contd. on page 2)

Printing date 11.07.2012 Version number 14 Revision: 11.07.2012

Trade name: Eleco G 641

(Contd. of page 1)

· Dangerous components:

CAS: 1314-13-2 zinc oxide N R50/53 50-100% EINECS: 215-222-5 Aquatic Acute 1, H400; Aquatic Chronic 1, H410

· Additional information For the wording of the listed risk phrases refer to section 16.

4 First aid measures

- · Description of first aid measures
- · General information Instantly remove any clothing soiled by the product.
- · After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness bring patient into stable side position for transport.

- · After skin contact The product is not skin irritating.
- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing In case of persistent symptoms consult doctor.
- · Information for doctor
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

- · For safety reasons unsuitable extinguishing agents Water with a full water jet.
- · Special hazards arising from the substance or mixture

Formation of poisonous gases during heating or in fires.

- · Advice for firefighters
- · Protective equipment: Do not inhale explosion gases or combustion gases.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective clothing.

· Environmental precautions:

Inform respective authorities in case product reaches water or sewage system.

Do not allow to enter drainage system, surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

7 Handling and storage

- · Handling
- · Precautions for safe handling

Store in cool, dry place in tightly closed containers.

Keep away from heat and direct sunlight.

(Contd. on page 3)

Printing date 11.07.2012 Version number 14 Revision: 11.07.2012

Trade name: Eleco G 641

(Contd. of page 2)

- · Information about protection against explosions and fires: Protect from heat.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and containers: Store in cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the compilation were used as basis.
- · Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures Wash hands during breaks and at the end of the work.
- · Breathing equipment:

Not necessary if room is well-ventilated.

Use breathing protection in case of insufficient ventilation.

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses recommended during refilling.

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information

· Appearance:

Form: Pasty

Colour: According to product specification

Odour: CharacteristicOdour threshold: Not determined.

· pH-value: Not determined.

· Change in condition

Melting point/Melting range: Not determined Boiling point/Boiling range: Not determined

(Contd. on page 4)

Printing date 11.07.2012 Version number 14 Revision: 11.07.2012

Trade name: Eleco G 641

	(Contd.	of pag
· Flash point:	Not applicable	
· Inflammability (solid, gaseous)	Not applicable.	
· Ignition temperature:		
Decomposition temperature:	Not determined.	
· Self-inflammability:	Product is not selfigniting.	
· Danger of explosion:	Product is not explosive.	
· Critical values for explosion:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure:	Not determined.	
· Relatity e density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix	
· Segregation coefficient (n-octanol/wa	uter): Not determined.	
· Viscosity:		
dynamic:	Not determined.	
kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	0.0 %	
Water:	0.0 %	
VOC (EU)	0.00 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- \cdot on the skin: No irritant effect.
- · on the eye: No irritant effect.
- · Sensitization: No sensitizing effect known.

GE

Printing date 11.07.2012 Version number 14 Revision: 11.07.2012

Trade name: Eleco

(Contd. of page 4)

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Very toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water.

Do not allow product to reach ground water, water bodies or sewage system.

Danger to drinking water if even small quantities leak into soil.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Waste disposal key number:

l	· Europeai	· European waste catalogue		
ſ		WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF		
		COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND		
		PRINTING INKS		
ľ	08 04 00	wastes from MFSU of adhesives and sealants (including waterproofing products)		

wastes from 111 50 of autosives and seatants (including waterproofing

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

· UN-Number	
· ADR, IMDG, IATA	UN3082
\cdot ADN	Void
· UN proper shipping name	
$\cdot ADR$	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANC
	LIQUID, N.O.S. (zinc oxide)
\cdot ADN	Void
· IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUIA
	N.O.S. (zinc oxide), MARINE POLLUTANT
· IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUI
	N.O.S. (zinc oxide)

Printing date 11.07.2012 Version number 14 Revision: 11.07.2012

Trade name: Eleco G 641

(Contd. of page 5)

· Transport hazard class(es)

· ADR, IMDG, IATA



Class
 Label
 ADN/R Class:
 9
 Void

· Packing group

· ADR, IMDG, IATA III

• Environmental hazards: Product contains environmentally hazardous substances: zinc

oxide

· Marine pollutant: Yes

Symbol (fish and tree)
Special marking (ADR):
Special marking (IATA):
Symbol (fish and tree)
Symbol (fish and tree)

· Special precautions for user Warning: Miscellaneous dangerous substances and articles.

· Kemler Number: 90
 · EMS Number: F-A,S-F

• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

· Transport/Additional information:

 $\cdot ADR$

· Tunnel restriction code

 \cdot IATA

• Remarks: No hazardous material as defined by the prescriptions.

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Designation according to EC guidelines:

The product has been classified and labelled in accordance with EC Directives / Ordinance on Hazardous Materials (GefStoffV)

· Code letter and hazard designation of product:

N Dangerous for the environment

· Risk phrases:

50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

- · Safety phrases:
- 29 Do not empty into drains.
- 57 Use appropriate container to avoid environmental contamination.
- 60 This material and its container must be disposed of as hazardous waste.
- · National regulations
- · Water hazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

CD

Page 7/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.07.2012 Version number 14 Revision: 11.07.2012

Trade name: Eleco

G 641

(Contd. of page 6)

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

- · Department issuing data specification sheet: Environment protection department.
- · Contact: Gaelle Le Cabec
- · * Data compared to the previous version altered.

CD